
























HDCVI PRICE LIST















ارزديهبشت 1402

1	<p>DH-HAC-HFW1500RP-Z-IRE6-A</p> 	<ul style="list-style-type: none"> · Max. 20fps@5MP(2592x1944). 1/2.7"Progressive CMOS · 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P · HD and SD output switchable.· Built-in mic · 2.7-12mm motorized lens · IP67, DC12V · Max. IR length 60m, Smart IR 		<p>۴۹,۴۵۰,۰۰۰ ریال</p>
2	<p>DH-HAC-HFW1500DP</p>	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> > Max 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (6 mm, 8 mm optional) > Max. IR length 80 m, Smart IR > IP67, DC12V 		<p>۳۳,۰۱۲,۰۰۰ ریال</p>
3	<p>DH-HAC-HFW1500SLP</p>	<ul style="list-style-type: none"> · 1/2.7"Progressive CMOS · HD and SD output switchable · Day/Night (ICR),BLC / HLC / DWDR / AGC · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 30m, Smart IR· IP67, DC12 · 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P 		<p>۳۰,۵۲۰,۰۰۰ ریال</p>
4	<p>DH-HAC-HFW1500THP-I8</p>	<ul style="list-style-type: none"> · 5MP HDCVI IR Bullet Camera · Max. 20fps@5MP · HD and SD output switchable · 3.6mm fixed lens (6mm, 8mm optional) · Max. IR length 80m, Smart IR · IP67, DC12V 		<p>۳۳,۴۲۱,۵۰۰ ریال</p>
5	<p>DH-HAC-HFW1500TP-A</p> 	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> > Max 25fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm optional) > Built-in mic(-A) > Max. IR length 30 m, Smart IR > IP67, DC12V 		<p>۲۷,۴۰۰,۰۰۰ ریال</p>
6	<p>DH-HAC-HFW2249TP-I8-A</p> 	<p>2MP Full-color Starlight HDCVI Bullet Camera</p> <ul style="list-style-type: none"> · Full-color starlight · 120dB true WDR, 3DNR · 40m(131ft) LED distance · Max. 30fps@1080P · HD/SD output switchable · Audio in interface, built-in mic · 3.6mm fixed lens (6mm optional) · IP67, DC12V±30% 		<p>۵۶,۳۴۰,۰۰۰ ریال</p>

7	DH-HAC-HFW1231TMP-I8-A		<p>2MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> > Max 30 fps@1080p > Starlight, 130 dB true WDR, 3D NR > 3.6 mm fixed lens (2.8 mm, 6 mm, 8 mm optional) > CVI/CVBS/AHD/TVI switchable > Super Adapt > Built-in mic > Max. IR length 80 m, Smart IR > IP67, DC 12 V 			<p>۳۱,۲۰۰,۰۰۰ ریال</p>
8	DH-HAC-HFW1231CMP		<p>2MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> > Max 30 fps@1080P > Starlight, 130 dB true WDR, 3D NR > 3.6 mm fixed lens (2.8 mm optional) > CVI/CVBS/AHD/TVI switchable > Super Adapt > Max. IR length 30 m, Smart IR > IP67, DC12V 			<p>۲۸,۱۸۲,۰۰۰ ریال</p>
9	DH-HAC-HFW1239TP-A-LED		<ul style="list-style-type: none"> • Full-color starlight • 20m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI Switchable • Built-in mic • 3.6mm fixed lens (2.8mm Optional) • IP67, DC12V±30% DC 			<p>۲۷,۴۷۰,۰۰۰ ریال</p>
10	DH-HAC-HFW1239TP-LED		<ul style="list-style-type: none"> • Full-color starlight • 20m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI Switchable • 3.6mm fixed lens (2.8mm Optional) • IP67, DC12V±30% DC 			<p>۲۶,۸۴۰,۰۰۰ ریال</p>
11	DH-HAC-HFW1209CMP-LED		<p>2MP Full-color HDCVI Bullet Camera</p> <ul style="list-style-type: none"> > 24/7 color imaging > 20 m illumination distance > Max. 30 fps @ 1080p > Built-in mic (-A) > CVI / CVBS / AHD / TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V ± 30% DC 			<p>۲۰,۱۳۰,۰۰۰ ریال</p>
12	DH-HAC-HFW1200CMP		<p>2 MP HDCVI Bullet Camera with IR Illumination</p> <ul style="list-style-type: none"> > Up to 30fps @ 1080P > Switchable CVI / CVBS / AHD / TVI outputs > Fixed lens 3.6mm (2.8mm optional) > Built-in microphone (-A) > Max. IR illumination range 30m, Intelligent IR illumination > IP67, DC 12V 			<p>۱۷,۴۵۰,۰۰۰ ریال</p>















HDCVI PRICE LIST


















از دید هشت 1402


















13	DH-HAC-HFW1209CP-LED	<ul style="list-style-type: none"> · Full-color starlight · 20 m illumination distance · Max. 30fps@1080P · CVI/CVBS/AHD/TVI switchable · Fixed lens (2.8 mm;3.6 mm optional) · IP67, 12V±30% DC 	
			<p>۳۶,۷۲۰,۰۰۰ ریال</p>
14	DH-HAC-HFW1200RP-Z-IRE6	<ul style="list-style-type: none"> · Max 30fps@1080P(1920×1080) · HD and SD output switchable · 2.7-12mm Motorized lens · Max. IR length 60m, Smart IR · IP67, DC12V 	
			<p>۳۶,۶۲۰,۰۰۰ ریال</p>
15	DH-HAC-HFW1230DP	<ul style="list-style-type: none"> · Starlight · Max. 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (6mm, 8mm optional) · Max. IR length 80m, Smart IR · IP67, DC12V 	
			<p>۲۵,۸۷۰,۰۰۰ ریال</p>
16	DH-HAC-HFW1200DP	<ul style="list-style-type: none"> · Max 30fps@1080P(1920×1080) · HD and SD output switchable · 3.6mm fixed lens (6mm, 8mm optional) · Max. IR length 80m, Smart IR · IP67, DC12V 	
			<p>۲۱,۵۷۴,۸۰۰ ریال</p>
17	DH-HAC-HFW1200TP-A	<ul style="list-style-type: none"> · 1/2.7" 2Megapixel CMOS · 25/30fps@1080P, 25/30/50/60fps@720P · 3.6mm fixed lens. Built-in mic · HD and SD output switchable · DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR ,OSD · Max. IR length 30m, Smart IR. IP67, DC12V 	
			<p>۱۹,۱۲۰,۰۰۰ ریال</p>
18	DH-HAC-HFW1200TP	<ul style="list-style-type: none"> · 2MP HDCVI IR Bullet Camera · Max 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 30m, Smart IR · IP67, DC12V 	
			<p>۱۶,۸۰۰,۰۰۰ ریال</p>
19	DH-HAC-HFW1200THP-I8	<ul style="list-style-type: none"> · 2MP HDCVI IR Bullet Camera · Max 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 80m, Smart IR · IP67, DC12V 	
			<p>۲۲,۸۱۴,۰۰۰ ریال</p>

HDCVI PRICE LIST

ازديهيشت 1402














































20	DH-HAC-HFW1230THP-I8	<p>2MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> · Max. 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (6mm, 8mm optional) · Max. IR length 80m, Smart IR · IP67, DC12V 			ريال 23,200,000
21	DH-HAC-HFW1230TP	<p>2MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> · Max. 30fps@1080P, Starlight · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 30m, Smart IR · IP67, DC12V 			ريال 25,620,000
22	DH-HAC-HFW1230TLP	<p>2MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> · Max. 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 40m, Smart IR · IP67, DC12V 			ريال 21,960,000
23	DH-HAC-HFW1200SP	<ul style="list-style-type: none"> · Max 30fps@1080P(1920x1080) · 2MP HDCVI IR Bullet Camera · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 30m, Smart IR · IP67, DC12V 			ريال 18,280,000
24	DH-HAC-HFW1200TLP-A	<ul style="list-style-type: none"> > Max 30fps@1080P > HD and SD output switchable > 3.6mm fixed lens (2.8mm, 6mm optional) > Built-in mic > Max. IR length 80m, Smart IR > IP67, DC12V 			ريال 19,110,000
25	DH-HAC-HFW1200TLP	<ul style="list-style-type: none"> · Max 30fps@1080P · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 40m, Smart IR · IP67, DC12V 			ريال 16,620,000
26	DH-HAC-HFW1200RP	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> · Max 30fps@1080P(1920x1080) · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 20m, Smart IR · IP67, DC12V 			ريال 14,020,000

27	DH-HAC-HDW1500TP-Z-A		<ul style="list-style-type: none"> · Max. 20fps@5MP(2592×1944). 1/2.7"Progressive CMOS · 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P · HD and SD output switchable· Built-in mic · 2.7-12mm motorized lens · IP67, DC12V · Max. IR length 60m, Smart IR 		ریال ۴۸,۲۳۰,۰۰۰
					
<p>5MP Full-color HDCVI Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> > Max 25 fps@5MP (16:9 video output) > 120dB true WDR, 3D NR > 24/7 color imaging > 20 m illumination distance > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > 3.6 mm fixed lens (2.8 mm optional) > IP67, 12 V DC > Quick-to-install eyeball saves installation time 					
28	DH-HAC-HDW1509TLQP-A-LED				ریال ۳۸,۰۰۰,۰۰۰
					
<p>5MP Full-color Starlight HDCVI Eyeball Camera</p> <ul style="list-style-type: none"> · Full-color starlight · 20 m LED distance · Max. 20fps@5MP · CVI/CVBS/AHD/TVI switchable · Built-in mic (-A) · 3.6 mm fixed lens (2.8 mm optional) · IP67, 12V±30% DC 					
29	DH-HAC-HDW1509TLP-A-LED				ریال ۳۳,۹۰۰,۰۰۰
					
<p>5MP Starlight HDCVI POC IR Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> > Max 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > Quick-to-install eyeball saves installation time > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Built-in mic > Max. IR length 60 m, Smart IR > IP67, PoC (only CVI)/12V±30% DC 					
30	DH-HAC-HDW1500TMQP-A				ریال ۳۱,۰۰۰,۰۰۰
					
<p>5MP Starlight HDCVI POC IR Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> > Max 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > Quick-to-install eyeball saves installation time > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Max. IR length 60 m, Smart IR > IP67, PoC (only CVI)/12V±30% DC 					
31	DH-HAC-HDW1500TLMQP				ریال ۲۶,۹۰۱,۰۰۰
					
<ul style="list-style-type: none"> · Max. 20fps@5MP(2592×1944) · Built-in mic · IP67, DC12V · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 50m, Smart IR 					
32	DH-HAC-HDW1500EMP-A				ریال ۳۴,۱۸۰,۰۰۰
					

33	DH-HAC-HDW1231TQP-A		<p>2MP Starlight HDCVI Quick-to-install IR Eyeball Camera</p> <ul style="list-style-type: none"> > Max 30 fps@1080P > Starlight, 130 dB true WDR, 3D NR > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > CVI/CVBS/AHD/TVI switchable > Super Adapt > Built-in mic > Max. IR length 40 m, Smart IR > IP67, DC12V > Quick-to-install saves installation time 		۲۹,۶۷۸,۰۰۰ ریال	
						
34	DH-HAC-HDW1239TP-A-LED		<ul style="list-style-type: none"> • Full-color starlight • 40m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI switchable • Built-in mic • 3.6mm fixed lens (2.8mm Optional) • IP67, 12V±30% DC 		۳۰,۵۲۰,۰۰۰ ریال	
						
35	DH-HAC-HDW1239TP-LED		<ul style="list-style-type: none"> • Full-color starlight • 40m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • IP67, 12V±30% DC 		۲۹,۰۵۰,۰۰۰ ریال	
						
36	DH-HAC-HDW1230EMP-A		<p>2MP Starlight HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • Built-in mic • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR length 50m, Smart IR • IP67, DC12V 		۲۳,۸۱۰,۰۰۰ ریال	
						
37	DH-HAC-HDW1230TLP-A		<p>2MP Starlight HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR length 40m, Smart IR · IP67, DC12V, Built in Mic 		۲۶,۸۴۰,۰۰۰ ریال	
						
38	DH-HAC-HDW1209TLQP-A-LED		<p>2MP Full-color Starlight HDCVI Eyeball Camera</p> <ul style="list-style-type: none"> > Full-color starlight > 20 m illumination distance > Max. 30fps @ 1080P > CVI / CVBS / AHD / TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V ± 30% DC 		۱۷,۳۱۴,۰۰۰ ریال	
						















HDCVI PRICE LIST













ارزيبهشت 1402

39	DH-HAC-HDW1209TLQP-LED	<ul style="list-style-type: none"> · 2MP Full-color Starlight HDCVI Eyeball Camera · Full-color starlight · 20 m illumination distance · Max. 30fps @ 1080P · CVI / CVBS / AHD / TVI switchable · Fixed lens (2.8 mm; 3.6 mm optional) · IP67, 12V ± 30% DC 	   		۲۶,۶۴۲,۰۰۰ ریال
40	DH-HAC-ME1200EQP-L	<ul style="list-style-type: none"> · 2MP HDCVI Active Deterrence Camera · * The parameters and datasheets below can only be applied to 1200-S5 series. · Max 30 fps@1080p, CVI/CVBS/AHD/TVI switchable · Active deterrence with warm light · Built-in PIR, 10 m/110° detecting range/angle · Quick-to-install eyeball save installation time · 3.6 mm fixed lens (2.8 mm optional) · Max. IR length 30 m, Smart IR, IP67, 12 V DC 	   		۲۱,۶۰۸,۵۰۰ ریال
41	DH-HAC-HDW1200EMP-A	<ul style="list-style-type: none"> · 2MP HDCVI IR Eyeball Camera · Max 30fps@1080P(1920×1080) · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 50m, Smart IR · IP67, DC12V. Built in mic 	     		۱۸,۸۹۱,۸۰۰ ریال
42	DH-HAC-HDBW1200EP	<ul style="list-style-type: none"> · 2MP HDCVI IR Dome Camera · Max 30fps@1080P · IP67, IK10, DC12V · HD and SD output switchable · 3.6mm fixed lens (2.8mm optional) · Max. IR length 30m, Smart IR 	      		۲۱,۳۴۰,۰۰۰ ریال
43	DH-HAC-HDW1200MP	<ul style="list-style-type: none"> · 2MP HDCVI IR Eyeball Camera · Max 30fps@1080P(1920×1080) · HD and SD output switchable · 3.6mm fixed lens (2.8mm, 6mm optional) · Max. IR length 30m, Smart IR · IP67, DC12V 	     		۱۵,۶۴۸,۴۰۰ ریال
44	DH-HAC-HDW1200RP	<ul style="list-style-type: none"> · 2MP HDCVI IR Eyeball Camera · Max 30fps@1080P(1920×1080) · HD and SD output switchable · 3.6mm fixed lens (2.8mm optional) · Max. IR length 20m, Smart IR · DC12V 	    		۲۲,۹۲۰,۰۰۰ ریال
45	DH-HAC-ME1200EP-LED	<ul style="list-style-type: none"> · 2MP HDCVI Active Deterrence Camera · Max 30fps@1080P · HD and SD output switchable · 2.8mm/3.6mm fixed lens · 10m/110° detecting range/angle · Max. IR length 20m, Smart IR · IP67, DC12V 	     		۲۲,۹۲۰,۰۰۰ ریال

HDCVI PRICE LIST









ارزیهشت 1402

46	DH-HAC-HUM3201BP-P	<p>2MP Starlight HDCVI Pinhole Camera</p> <ul style="list-style-type: none"> > Starlight, 120dB true WDR, 3DNR > Max 30fps@1080P > HD and SD output switchable > 2.8mm fixed lens > Audio in interface > DC12V 	
			۴۱,۶۰۰,۰۰۰ ریال
47	DH-HAC-ME1500CP	<p>5MP HDCVI Active Deterrence Camera</p> <ul style="list-style-type: none"> > Max 20fps@5MP > HD and SD output switchable > 2.8mm fixed lens (3.6mm optional) > Max. IR length 20m, Smart IR > Built-in PIR, 14±1m/110° detecting range/angle > Active deterrence with white light & siren > IP67, DC12V 	
			۳۲,۵۲۰,۰۰۰ ریال
48	DH-HAC-B2A51P <i>Cooper Series</i>	<p>5MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> • Max. 20fps@5MP(2592×1944) • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Max. IR length 20m, Smart IR · IP67, DC12V 	
			۲۱,۳۵۸,۰۰۰ ریال
49	DH-HAC-B2A21P <i>Cooper Series</i>	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> • Max. 30fps@1080P (1920×1080) • HD and SD output switchable • 3.6mm fixed lens (6mm optional) • Max. IR length 20m, Smart IR · IP67, DC12V 	
			۱۳,۲۵۰,۰۰۰ ریال
50	DH-HAC-B1A21P <i>Cooper Series</i>	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> • Max. 30fps@1080P (1920×1080) • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR length 20m, Smart IR. IP67, DC12V 	
			۱۱,۵۹۰,۰۰۰ ریال
51	DH-HAC-T2A51P <i>Cooper Series</i>	<p>5MP HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> • Max. 20fps@5MP (2592×1944) • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Max. IR length 20m, Smart IR. IP67, DC12V 	
			۲۲,۳۷۰,۰۰۰ ریال
52	DH-HAC-T2A21P <i>Cooper Series</i>	<p>2MP HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> • Max. 30fps@1080P (1920×1080) • HD and SD output switchable • 3.6mm fixed lens (2.8mm,6mm optional) • Max. IR length 20m, Smart IR · IP67, DC12V 	
			۱۳,۵۵۸,۲۰۰ ریال

53	DH-HAC-T1A51P <i>Cooper Series</i>	<p>SMP HDCVI Fixed IR Eyeball Camera</p> <ul style="list-style-type: none"> > Max. 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm optional) > Max. IR length 20 m, Smart IR > DC12V 		۱۹,۵۵۸,۰۰۰ ریال
				
54	DH-HAC-T1A21P <i>Cooper Series</i>	<ul style="list-style-type: none"> . 2MP HDCVI IR Eyeball Camera . Max. 30fps@1080P (1920x1080) . HD and SD output switchable . 3.6mm fixed lens (2.8mm, 6mm optional) . Max. IR length 20m, Smart IR. DC12V 		۱۲,۰۷۰,۰۰۰ ریال
				
55	DH-SD59430I-HC	<ul style="list-style-type: none"> . 1/3" 4Megapixel CMOS . Powerful 30x optical zoom . 120dB true WDR, 3D DNR . Max. 25/30fps@4M/1080P, 25/30/50/60fps@720P . IR distance up to 100m · IP66 		۴۱۰,۴۶۰,۰۰۰ ریال
				
56	DH-SD59230I-HC	<ul style="list-style-type: none"> . 1/2.8" 2Megapixel STARVIS™ CMOS . Powerful 30x optical zoom . Starlight technology . 120dB true WDR, 3D DNR . Max. 25/30fps@1080P, 25/30/50/60fps@720P . IR distance up to 150m · IP66 		۳۰۵,۳۸۰,۰۰۰ ریال
				
57	DH-XVR5432L-I2	<ul style="list-style-type: none"> . 32 Channel Penta-brid 5M-N/1080P 1.5U WizSense Digital Video Recorder . H.265+/H.265 dual-stream video compression . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth . Up to 2 channels video stream (analog channel) perimeter protection . Up to 16 channels video stream (analog channel) SMD plus . Up to 2 channels video stream (analog channel) human face recognition . IoT & POS functionalities 		۳۹۴,۶۶۰,۰۰۰ ریال
				
58	DH-XVR5232AN-I3	<ul style="list-style-type: none"> . 32 Channel Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder . H.265+/H.265 dual-stream video compression . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 32 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth . Up to 2 channels video stream (analog channel) Perimeter Protection . Up to 16 channels video stream (analog channel) SMD Plus . Up to 2 channels video stream (analog channel) human face recognition . IoT & POS functionalities 		۲۷۰,۱۵۰,۰۰۰ ریال
				

HDCVI PRICE LIST

از دیدگاه 1402

59	DH-XVR5216AN-4KL-I3	<p>16 Channel Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> · H.265+/H.265 dual-stream video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth · Up to 2 channels video stream (analog channel) Perimeter Protection · Up to 16 channels video stream (analog channel) SMD Plus · Up to 2 channels video stream (analog channel) human face recognition · IoT & POS functionalities 			ریال ۲۴۹,۳۴۰,۰۰۰
60	DH-XVR5216AN-4KL-S2	<p>16 Channel Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> · H.264+/H.264 dual-stream video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth · Up to 2 channels video stream (analog channel) Perimeter Protection · Up to 16 channels video stream (analog channel) SMD Plus · Up to 2 channels video stream (analog channel) human face recognition · IoT & POS functionalities 			ریال ۲۳۴,۴۸۰,۰۰۰
61	DH-XVR5216AN-I3	<p>16 Channel Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> · H.265+/H.265 dual-stream video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth · Up to 2 channels video stream (analog channel) Perimeter Protection · Up to 16 channels video stream (analog channel) SMD Plus · Up to 2 channels video stream (analog channel) human face recognition · IoT & POS functionalities 			ریال ۱۵۸,۲۱۰,۰۰۰
62	DH-XVR5116H-I3	<ul style="list-style-type: none"> · H.265+/H.265 dual-stream video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth · Up to 2 channels video stream (analog channel) Perimeter Protection · Up to 16 channels video stream (analog channel) SMD Plus · Up to 2 channels video stream (analog channel) human face recognition · IoT & POS functionalities 			ریال ۱۲۴,۹۵۰,۰۰۰

HDCVI PRICE LIST

از دیدیهشت 1402

63 DH-XVR5116HS-I3

16 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder

- > H.265+/H.265 dual-stream video compression
- > Supports Full-channel AI Coding
- > Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- > Max 24 channels IP camera inputs, each channel up to 6MP; Max 128Mbps incoming bandwidth
- > Up to 2 channels video stream (analog channel) Perimeter Protection
- > Up to 16 channels video stream (analog channel) SMD Plus
- > Up to 2 channels video stream (analog channel) human face recognition
- > IoT & POS functionalities



۲۶,۷۷۰,۰۰۰ ریال

64 DH-XVR5108HS-4KL-I3

.8 Channel Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder

- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 16 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth
- . Up to 2 channels video stream (analog channel) Perimeter Protection
- . Up to 2 channels video stream (analog channel) SMD Plus
- . Up to 2 channels video stream (analog channel) human face recognition
- . IoT & POS functionalities



۱۲۴,۲۶۰,۰۰۰ ریال

65 DH-XVR5108HS-I3

.8 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense Digital Video Recorder

- . H.265+/H.265 dual-stream video compression
- . Supports Full-channel AI-Coding
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 12 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps incoming bandwidth
- . Up to 1 channel video stream (analog channel) Perimeter Protection
- . Up to 8 channels video stream (analog channel) SMD Plus
- . Up to 1 channel video stream (analog channel) human face recognition
- . IoT & POS functionalities



۸۵,۸۷۷,۰۰۰ ریال











66 DH-XVR5104HS-4KL-I3

.4 Channel Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder

- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 8 channels IP camera inputs, each channel up to 8MP; Max 64 Mbps incoming bandwidth
- . Up to 2 channels video stream (analog channel) Perimeter Protection
- . Up to 4 channels video stream (analog channel) SMD Plus
- . Up to 2 channels video stream (analog channel) human face recognition
- . IoT & POS functionalities













۷۶,۳۱۰,۰۰۰ ریال

67	DH-XVR5104HS-I3	<p>.4 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> . H.265+/H.265 dual-stream video compression . Supports Full-channel AI-Coding . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 6 channels IP camera inputs, each channel up to 6MP; Max 32 Mbps incoming bandwidth . Up to 1 channel video stream (analog channel) Perimeter Protection . Up to 4 channels video stream (analog channel) SMD Plus . Up to 1 channel video stream (analog channel) human face recognition . IoT & POS functionalities 			۵۲,۰۸۷,۵۶۰ ریال
68	DH-XVR4116HS-I	<p>.16 Channel Penta-brid 720p Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> . H.265+/H.265 video compression . Supports Full-channel AI-Coding . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth . Long transmission distance over coax cable . Up to 8 channels video stream (analog channel) SMD Plus 			۸۰,۹۸۳,۰۰۰ ریال
69	DH-XVR4108HS-I	<p>.8 Channel Penta-brid 1080N/720p Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> . H.265+/H.265 dual-stream video compression . Supports Full-channel AI-Coding . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 10 channels IP camera inputs, each channel up to 6MP; Max 32 Mbps incoming bandwidth . Up to 8 channels video stream (analog channel) SMD Plus 			۵۸,۷۱۹,۰۰۰ ریال
70	DH-XVR4104HS-I	<p>.4 Channel Penta-brid 1080N/720p Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> . H.265+/H.265 dual-stream video compression . Supports Full-channel AI-Coding . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 5 channels IP camera inputs, each channel up to 2MP; Max 32 Mbps incoming bandwidth . Up to 4 channels video stream (analog channel) SMD Plus 			۴۶,۳۸۰,۰۰۰ ریال
71	DH-XVR1B16H	<p>.16 Channel Penta-brid 4M-N/1080P Cooper 1U 1HDD Digital Video Recorder</p> <ul style="list-style-type: none"> . H.265+/H.265 dual-stream video compression . Supports HDCVI/AHD/TVI/CVBS/IP video inputs . Max 24 channels IP camera inputs, each channel up to 6MP; Max 96Mbps incoming bandwidth . Long transmission distance over coax cable . Supports 1 SATA HDD, up to 6TB . Smart Search and Intelligent Video System 			۸۹,۰۶۰,۰۰۰ ریال

HDCVI PRICE LIST

از دیدیهشت 1402

72	<p>DH-XVR1B16-I <i>Cooper Series</i></p>	<ul style="list-style-type: none"> · H.265+/H.265 dual-stream video compression · Supports Full-channel AI-Coding · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth · Long transmission distance over coax cable · Up to 8 channels video stream (analog channel) SMD Plus 	
			<p>ریال ۷۷,۵۸۰,۰۰۰</p>
73	<p>DH-XVR1B08-I <i>Cooper Series</i></p>	<ul style="list-style-type: none"> · 8 Channel Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder · H.265+/H.265 dual-stream video compression · Supports Full channel AI-Coding · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 10 channels IP camera inputs, each channel up to 6MP; Max 40 Mbps incoming bandwidth · Up to 4 channels video stream (analog channel) SMD Plus 	
			<p>ریال ۳۷,۲۹۴,۵۰۰</p>
74	<p>DH-XVR1A08 <i>Cooper Series</i></p>	<ul style="list-style-type: none"> · 8 Channel Penta-brid 1080N/720P Cooper 1U · H.264 video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 10 channels IP camera inputs, each channel up to 5MP; Max 40Mbps Incoming Bandwidth · Long transmission distance over coax cable · Supports 1 SATA HDD, up to 6TB 	
			<p>ریال ۳۹,۶۲۰,۰۰۰</p>
75	<p>DH-XVR1B04-I <i>Cooper Series</i></p>	<ul style="list-style-type: none"> · 4 Channel Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder · H.265+/H.265 dual-stream video compression · Supports Full channel AI-Coding · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 5 channels IP camera inputs, each channel up to 2MP; Max 20 Mbps incoming bandwidth · Up to 4 channels video stream (analog channel) SMD Plus 	
			<p>ریال ۳۰,۰۷۲,۵۰۰</p>
76	<p>DH-XVR1A04 <i>Cooper Series</i></p>	<ul style="list-style-type: none"> · 4Channel Penta-brid 1080N/720P Cooper 1U · H.264 video compression · Supports HDCVI/AHD/TVI/CVBS/IP video inputs · Max 5channels IP camera inputs, each channel up to 2MP; Max 20Mbps Incoming Bandwidth · Long transmission distance over coax cable · Supports 1 SATA HDD, up to 6TB 	
			<p>ریال ۳۰,۰۵۰,۰۰۰</p>